


Dimensions are in millimeters.  
The content in this document is mentioned for reference use only. Values may differ from current data. Always contact Mammoet for current project calculations.



Dimensions are in meters.

The content in this document is mentioned for reference use only. Values may differ from current data. Always contact Mammoet for current project calculations.

**Main boom**

- Outrigger base: 7.1×7 m
- Ballast: 32 - 0 t


Boom length (m)	Ballast (t)	Radius (m)																												
		3	3.5	4	4.5	5	6	7	8	9	10	11	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46
12.5	0	85	79	71	62	51	33	23	17	13																				
	2	85	79	72	64	55	35	25	19	15																				
	12	85	79	73	68	63	51	41	31	25																				
	13.3	85	79	73	68	63	52	42	33	27																				
	25	85	79	73	68	64	56	49	42	36																				
16.8	0	76	66	53	45	33	23	17	13	10	8.8	7																		
	2	76	70	58	48	35	25	19	15	12	10	8.1																		
	12	76	70	66	62	51	41	32	25	21	18	15																		
	13.3	76	70	66	62	52	42	33	27	22	19	16																		
	25	76	70	66	62	55	49	42	36	30	26	22																		
21	0	67	54	47	40	30	23	18	14	11	9.4	7.5	5.3	3.8																
	2	73	58	48	44	33	26	20	16	12	10	8.7	6.2	4.6																
	12	73	68	63	59	46	37	32	26	22	19	16	12	9.8																
	13.3	73	68	63	59	48	39	33	27	23	20	17	13	10																
	25	73	68	63	59	53	47	41	35	30	26	23	18	15																
25.2	0	47	43	37	28	22	17	14	11	9.8	7.9	5.6	4.1	3	2.1															
	2	51	44	40	31	24	20	16	13	11	9.1	6.5	4.9	3.7	2.8															
	12	53	50	47	43	35	31	26	22	19	16	12	10	8.2	6.8															
	13.3	53	50	47	43	36	32	27	23	20	17	13	10	8.7	7.2															
	25	53	50	47	43	39	36	33	30	26	23	18	15	12	10															
29.5	0	32	26	21	17	14	12	10	8.5	6.2	4.6	3.5	2.7	1.9	1.3	0.9														
	2	35	29	23	19	16	13	11	9.7	7.1	5.4	4.2	3.3	2.5	1.9	1.3														
	12	41	39	34	29	25	21	19	17	13	10	8.7	7.2	6.1	5.1	4.3														
	13.3	41	39	35	30	25	22	20	18	14	11	9.2	7.7	6.5	5.5	4.7														
	25	41	39	36	34	31	30	26	23	18	15	13	11	9.8	8.5	7.5														
33.7	0	21	19	16	13	11	10	8.6	6.3	4.7	3.6	2.8	2	1.4	0.9															
	2	24	19	18	15	13	11	9.8	7.2	5.5	4.2	3.3	2.6	1.9	1.4	0.9														
	12	33	30	27	23	20	18	15	13	10	8.8	7.3	6.1	5.1	4.3	3.6	3.1													
	13.3	33	30	28	24	21	18	16	14	11	9.3	7.8	6.6	5.6	4.7	4	3.4													
	25	33	30	28	26	24	22	20	18	14	12	11	9.9	8.6	7.6	6.7	6													
38	0	18	15	13	11	9.7	8.4	6.4	4.9	3.7	2.9	2.1	1.5	1	0.6															
	2	18	17	14	12	11	9.6	7.4	5.6	4.4	3.5	2.7	2.1	1.5	1.1	0.7														
	12	27	25	22	19	17	15	13	10	9	7.5	6.3	5.3	4.5	3.8	3.2	2.7	2.3												
	13.3	27	25	23	20	18	15	14	11	9.5	7.9	6.7	5.7	4.8	4.1	3.5	3	2.5												
	25	27	25	23	22	20	19	16	14	12	10	9.6	8.7	7.7	6.8	6.1	5.4	4.8												
40.8	0	14	12	10	9.4	8.1	6.3	4.9	3.8	2.9	2.2	1.6	1.1	0.6																
	2	16	14	12	10	9.4	7.3	5.7	4.4	3.5	2.8	2.1	1.6	1.1	0.7															
	12	16	16	16	15	14	12	11	9	7.5	6.3	5.3	4.5	3.8	3.2	2.7	2.3	2												
	13.3	16	16	16	15	14	12	11	9.5	8	6.7	5.7	4.9	4.2	3.6	3	2.5	2.1												
	25	16	16	16	15	14	12	11	10	9.5	8.7	8.1	7.5	6.8	6.1	5.4	4.8	4.3												
42.2	0	13	11	9.8	8.5	7.3	5.6	4.2	3.2	2.4	1.7	1.1																		
	2	15	13	11	9.9	8.5	6.6	5.1	4	3.1	2.3	1.6	1.1	0.6																
	12	21	20	19	17	15	13	10	8.6	7.1	5.9	4.8	4	3.3	2.8	2.3	1.9	1.5	1.2											
	13.3	21	20	19	18	16	13	11	9.1	7.5	6.3	5.3	4.4	3.7	3.1	2.6	2.1	1.7	1.3											
	25	21	20	19	18	16	14	12	11	9.6	8.4	7.3	6.4	5.7	5	4.4	3.9	3.5												
45	0	11	9.7	8.4	7.2	5.5	4.3	3.3	2.5	1.8	1.2	0.7																		
	2	12	11	9.7	8.4	6.5	5.1	4.1	3.2	2.4	1.8	1.2	0.8																	
	12	13	13	13	12	10	8.7	7.2	6	5	4.2	3.5	2.9	2.4	2	1.6	1.1	1												
	13.3	13	13	13	12	11	9.2	7.7	6.4	5.4	4.5	3.8	3.2	2.7	2.2	1.9	1.5	1.1	1											
	25	13	13	13	12	11	10	9.5	8.7	8	7.4	6.5	5.8	5.1	4.5	4	3.5	3.1	2.6											
46.4	0	10	8.7	7.5	6.4	4.8	3.5	2.6	1.8	1.2	0.7																			
	2	11	10	8.8	7.6	5.8	4.4	3.4	2.5	1.9	1.2	0.7																		
	12	15	15	14	14	12	10	8.2	6.7	5.5	4.5	3.7	3	2.4	1.9	1.5	1.1	0.8												
	13.3	15	15	14	14	12	10	8.7	7.2	5.9	4.9	4	3.3	2.7	2.2	1.8	1.4	1.1	0.7											
	25	15	15	14	14	13	12	10	9.3	8	7	6.1	5.3	4.6	4	3.5	3.1	2.6	2.3											
50.2	0	9.8	8.4	7.3	6.2	4.6	3.5	2.5	1.7	1.1																				
	2	11	9.7	8.5	7.3	5.6	4.																							

**Main boom**

- Outrigger base: 7.1×4.5 m
- Ballast: 32 - 0 t

Boom length (m)	Ballast (t)	Radius (m)																													
		3	3.5	4	4.5	5	6	7	8	9	10	11	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	
12.5	0	53.8	40.7	32.4	26.1	20.6	14	10.2	7.7	6																					
	2	59.8	45.4	36.2	29.2	23.1	15.8	11.6	8.9	7																					
	12	75.9	68.5	55.9	44.9	36	25.3	19.1	15.1	12.3																					
	13.3	76.2	68.8	58.4	47.2	37.8	26.6	20.2	16	13																					
	25	78.9	71.2	64.8	59.4	53.7	38.3	29.3	23.5	19.5																					
16.8	0	33.5	27.3	22.8	19.4	14.2	10.3	7.8	6.1	4.8	3.85	2.9																			
	2	37.4	30.6	25.7	21.9	16	11.8	9	7.1	5.6	4.65	3.7																			
	12	58	47.9	40.6	35.1	25.4	19.2	15.2	12.3	10.2	8.75	7.3																			
	13.3	60.9	50.4	42.8	37	26.8	20.3	16.1	13.1	10.9	9.4	7.9																			
	25	71.3	64.9	59.5	53.1	38.4	29.4	23.6	19.5	16.5	14.4	12.3																			
21	0	29.7	24.8	21	18.1	13.9	11	8.4	6.6	5.3	4.4	3.5	2	1.1																	
	2	33.1	27.7	23.6	20.4	15.8	12.4	9.6	7.6	6.2	5.2	4.2	2.7	1.6																	
	12	51	43.1	37.1	32.4	25.7	19.9	15.8	12.9	10.8	9.3	7.8	5.9	4.5																	
	13.3	53.4	45.2	39	34.2	27.1	21	16.7	13.6	11.4	9.85	8.3	6.3	4.9																	
	25	70.9	63.7	54.9	48.1	39.2	30.1	24.2	20.1	17	14.9	12.8	10	8																	
25.2	0	22.5	19.4	16.9	13.2	10.5	8.6	7	5.7	4.75	3.8	2.4	1.4	0.6																	
	2	25.1	21.7	19	14.9	12	9.9	8	6.5	5.5	4.5	3.1	2	1.1																	
	12	39	34	30	24.1	19.9	16.2	13.3	11.1	9.6	8.1	6.1	4.8	3.7	3																
	13.3	40.9	35.8	31.6	25.4	21.1	17.1	14	11.8	10.2	8.6	6.6	5.1	4.1	3.2																
	25	53	50.4	44.7	37.8	30.6	24.6	20.5	17.4	15.25	13.1	10.3	8.3	6.8	5.7																
29.5	0		16.2	12.9	10.5	8.7	7.3	6.1	5.2	4.3	3	2	1.2																		
	2		18.1	14.5	11.9	9.9	8.4	7.1	6.05	5	3.6	2.6	1.7	1																	
	12		28.4	23.2	19.4	16.5	13.9	11.7	10.15	8.6	6.6	5.2	4.1	3.3	2.7	2.2	1.8														
	13.3		29.8	24.4	20.4	17.4	14.6	12.3	10.7	9.1	7	5.6	4.5	3.6	3	2.4	2														
	25		41.7	34.8	29.2	24.7	21.1	17.9	15.75	13.6	10.7	8.7	7.2	6.1	5.2	4.4	3.8														
33.7	2		11.3	9	7.3	6	4.9	4.05	3.2	2	1																				
	12		19.4	20	18.3	15.7	13.6	12.7	11.8	8.7	6.7	5.3	4.2	3.4	2.8	2.2	1.8	1.4	1												
	13.3		20.5	20	19.3	16.6	14.4	13.4	12.4	9.2	7.1	5.6	4.5	3.7	3	2.5	2	1.6	1.2												
	25		32.4	27.2	23.3	19.6	18.9	18.3	17.7	13.7	10.8	8.8	7.3	6.1	5.2	4.5	3.8	3.3	2.9												
38	2		10.7	9	7.7	7.15	6.6	4.9	3.7	2.8	2	1.3	0.7																		
	12		17.4	15	13.1	12.3	11.5	10.4	8.9	6.8	5.4	4.3	3.5	2.9	2.3	1.9	1.5	1.1													
	13.3		18	15.9	13.9	13.05	12.2	9.4	7.3	5.8	4.7	3.8	3.1	2.6	2.1	1.7	1.3	1	0.7												
	25		25.9	22.3	19.4	18.6	17.8	13.8	11	8.9	7.4	6.3	5.3	4.6	3.9	3.4	3	2.6	2.3												
40.8	2		8.7	7.5	6.95	6.4	4.8	3.6	2.7	2	1.3	0.8																			
	12		14.5	12.7	11.95	11.2	8.9	6.9	5.5	4.4	3.6	2.9	2.4	1.9	1.5	1.1															
	13.3		15.4	13.5	12.7	11.9	9.4	7.3	5.8	4.7	3.8	3.2	2.6	2.1	1.8	1.4	1	0.7													
	25		16	16	16	16	13.9	11	9	7.5	6.3	5.4	4.6	4	3.4	3	2.6	2.3	2												
42.2	2		7.9	6.7	6.2	5.7	4.1	3	2.1	1.4	0.8																				
	12		13.6	11.9	11.15	10.4	8.2	6.5	5.1	4	3.2	2.6	2	1.5	1.1	0.7															
	13.3		14.5	12.6	11.85	11.1	8.8	6.9	5.4	4.3	3.5	2.8	2.3	1.8	1.3	0.9															
	25		21	19.2	18.1	17	13.5	10.6	8.6	7.1	5.9	5	4.3	3.6	3.1	2.7	2.3	1.9	1.6	1.3											
45	2		6.6	6.1	5.6	4.1	3	2.1	1.4	0.8																					
	12		11.7	11	10.3	8.1	6.5	5.2	4.1	3.3	2.7	2.1	1.6	1.2	0.8																
	13.3		12.4	11.65	10.9	8.7	7	5.6	4.5	3.6	2.9	2.4	1.9	1.4	1	0.7															
	25		13	13	13	13	10.7	8.7	7.2	6	5.1	4.4	3.7	3.2	2.8	2.4	2	1.6	1.3	1	0.7										
46.4	2		5.8	5.35	4.9	3.4	2.4	1.5	0.8																						
	12		10.8	10.15	9.5	7.4	5.8	4.6	3.6	2.8	2.2	1.6	1.2	0.7																	
	13.3		11.5	10.8	10.1	7.9	6.3	5	4	3.2	2.5	1.9	1.4	1																	
	25		15.4	15.25	15.1	13.2	10.3	8.3	6.8	5.7	4.7	4	3.4	2.8	2.4	2	1.6	1.3	1	0.7											
50.2	2		5.6	5.15	4.7	3.3	2.3	1.4	0.7																						
	12		10.4	9.8	9.2	7.2	5.7	4.5	3.6	2.8	2.1	1.5	1.1	0.7																	
	13.3		11.1	10.45	9.8	7.7	6.2	4.9	4	3.2	2.4	1.9	1.4	1	0.6																
	25		13	12.75	12.5	12	10.4	8.4	6.9	5.7	4.8	4.1	3.4	2.9	2.5	2.1	1.7	1.3	1	0.7											

t = metric tons.  
The content in this document is mentioned for reference use only. Values may differ from current data. Always contact Mammoet for current project calculations.



Dimensions are in meters.

The content in this document is mentioned for reference use only. Values may differ from current data. Always contact Mammoet for current project calculations.

**Main boom with fixed jib**

- Outrigger base: 7.1×7 m
- Ballast: 32 - 0 t

Boom length (m)	Jib length (m)	Jib offset (°)	Radius (m)																										
			7	8	9	10	11	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	54	56
38	9.2	0	14	14	13	13	12	12	11	10	9.7	9	8.3	7.7	6.6	5.7	4.9	4.4	4.2	3.9	3.7	3.3	3						
		20			9.3	9.1	8.9	8.6	8.3	8	7.7	7.5	7.1	6.8	6.1	5.2	4.5	3.9	3.7	3.6	3.4	3							
		40									7.1	7	6.8	6.6	6.5	6.4	6.3	6.2	5.5	4.7	4								
	17	0			8.1	7.8	7.5	7.2	7	6.5	6	5.6	5.3	5	4.7	4.4	4.2	4	3.8	3.6	3.5	3	2.6	2.4	2.3	2.2	2.1	2	
		20									4.8	4.6	4.3	4.1	3.9	3.7	3.6	3.4	3.3	3.2	3.1	3	3	2.5	2.2	2.1	2.1	2	
		40										3.6	3.5	3.4	3.3	3.2	3.1	3	3	2.9	2.9	2.9	2.9	2.7					
40.8	9.2	0			10	10	9.7	9.2	8.7	7.9	7.2	6.6	6.1	5.7	5.3	5	4.7	4.4	4.2	4	3.8	3.6	3.3	2.9	2.6				
		20							7.3	6.8	6.4	6	5.6	5.2	4.9	4.6	4.4	4.1	3.9	3.7	3.6	3.4	3.3	3	2.7				
		40								6.1	5.7	5.4	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.6	3.5							
	17	0			6.9	6.6	6.4	6.2	5.8	5.4	5	4.7	4.4	4.1	3.9	3.6	3.4	3.2	3	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2		
		20							4.3	4.1	3.9	3.7	3.5	3.4	3.2	3	2.9	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1	2			
		40									3.3	3.2	3.2	3.1	3	2.9	2.8	2.7	2.5	2.4	2.4	2.3	2.2						
42.2	9.2	0			11	11	11	10	10	9.3	8.7	8.1	7.5	7	6.5	5.9	5.1	4.6	4.3	3.8	3.3	2.9	2.6	2.2	1.9				
		20							8.8	8.4	8.1	7.8	7.5	7.2	6.9	6.6	6.2	5.5	4.7	4.1	3.9	3.5	3.1	2.7	2.3	2			
		40								7.1	6.9	6.7	6.5	6.4	6.2	6	5.9	5.7	4.9	4.3	3.9	3.6							
	17	0			7.2	7	6.7	6.5	6.1	5.7	5.3	5	4.7	4.5	4.2	4	3.8	3.7	3.5	3.4	3.1	2.8	2.7	2.4	2.1	1.9	1.6	1.2	
		20							4.5	4.3	4.1	3.9	3.7	3.6	3.4	3.3	3.2	3.1	3.1	3.1	3.1	2.6	2.5	2.4	2.1	1.8			
		40								3.4	3.3	3.2	3.1	3.1	3	2.9	2.9	2.8	2.8	2.8	2.8	2.8	2.5	2.4	2.1				
45	9.2	0			10	9.5	9	8.6	7.8	7.2	6.6	6.2	5.8	5.4	5.1	4.9	4.6	4.4	4.2	3.8	3.3	2.9	2.5	2.2	1.9	1.7			
		20							6.6	6.2	5.8	5.4	5.1	4.9	4.6	4.4	4.2	4	3.9	3.8	3.5	3.1	2.7	2.3	2	1.7			
		40								5.7	5.4	5.2	4.9	4.7	4.5	4.3	4.1	3.9	3.8	3.6	3.5	3.2							
	17	0			6.4	6.2	6.1	5.7	5.4	5.1	4.8	4.6	4.3	4	3.8	3.6	3.4	3.2	3	2.8	2.7	2.6	2.4	2.1	1.8	1.6	1.1	1	
		20							4.3	4.1	3.9	3.8	3.6	3.4	3.3	3.1	3	2.8	2.7	2.6	2.5	2.3	2.2	2.1	1.8	1.3	1.1		
		40									3.2	3.1	3	3	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1					
46.4	9.2	0			10	9.8	9.4	8.7	8.1	7.5	7	6.5	6.1	5.7	5.4	5.1	4.6	4	3.4	3	2.6	2.2	1.9	1.6	1.3	1.1			
		20							7.1	6.8	6.5	6.2	5.8	5.5	5.2	5	4.7	4.5	4.2	3.7	3.2	2.8	2.4	2	1.7	1.4	1.1		
		40								6.1	5.8	5.5	5.2	5	4.8	4.6	4.4	4.2	4.1	3.9	3.3	2.9							
	17	0			6.2	5.8	5.5	5.2	4.9	4.7	4.4	4.2	4	3.8	3.6	3.5	3.3	3.2	2.8	2.4	2.1	1.8	1.5	1.3	0.8	0.6			
		20							4.1	4	3.8	3.6	3.5	3.3	3.2	3	2.9	2.8	2.7	2.6	2.6	2.4	2.1	1.8	1.5	1	0.8		
		40								3.2	3.1	3.1	3	3	2.9	2.9	2.8	2.7	2.6	2.5	2.5	2.3	2.1						
50.2	9.2	0			8.4	7.9	7.5	7.1	6.7	6.3	6	5.7	5.4	5	4.5	3.9	3.4	3.2	2.9	2.5	2.1	1.8	1.5	1.2	1				
		20							6.9	6.4	6.1	5.7	5.4	5.2	4.9	4.7	4.5	4.3	4.1	3.7	3.2	2.7	2.3	2	1.7	1.4	1.1		
		40								5.5	5.2	5	4.8	4.6	4.4	4.2	4.1	4	3.8	3.3	2.9	2.5	2.1						
	17	0			5.6	5.4	5.2	5	4.8	4.6	4.4	4.2	4	3.8	3.6	3.4	3.2	3	2.7	2.3	2	1.7	1.4	1.2	0.7				
		20							4.1	3.9	3.8	3.6	3.4	3.3	3.1	3	2.9	2.8	2.7	2.6	2.5	2.4	2	1.7	1.4	1.0	0.9	0.7	
		40								3.5	3.1	3	2.9	2.9	2.8	2.7	2.7	2.6	2.5	2.5	2.4	2.3	1.9	1.6					

t = metric tons.  
The content in this document is mentioned for reference use only. Values may differ from current data. Always contact Mammoet for current project calculations.

**Main boom with fixed jib**

- Outrigger base: 7.1x4.5 m
- Ballast: 32 - 0 t

Boom length (m)	Jib length (m)	Jib offset (°)	Radius (m)																																						
			7	8	9	10	11	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	54	56												
38	9.2	0	14	14	13	13	12	12	10	8	6.9	6.3	5.3	4.6	3.9	3.4	2.9	2.5	2.2	1.9	1.6	1.3	1																		
		20			9.3	9.1	8.9	8.6	8.3	7.1	5.8	5.2	4.9	4.2	3.6	3.1	2.7	2.3	2	1.7	1.4	1.1																			
		40							7.1	7	6.8	6.2	5.2	4.8	4.4	3.8	3.2	2.8	2.4																						
	17	0			8.1	7.8	7.5	7.2	7	6.5	6	5.6	5.3	4.7	4.2	3.9	3.6	3.1	2.7	2.3	2	1.8	1.5	1.2	1	0.8															
		20								4.8	4.6	4.3	4.1	3.9	3.7	3.6	3.4	3.1	2.9	2.7	2.3	2	1.7	1.5	1.2	1	0.7														
		40									3.6	3.5	3.4	3.3	3.2	3.1	3	2.8	2.7	2.5	2.2	1.9	1.6	1.3																	
	40.8	9.2	0		10	10	9.7	9.2	8.7	7.9	7.2	6.6	6.1	5.3	4.5	3.9	3.4	2.9	2.5	2.2	1.8	1.5	1.2	1	0.8																
		20							7.3	6.8	6.4	6	5.6	5.2	4.9	4.2	3.6	3.1	2.7	2.3	2	1.7	1.4	1.1	0.8																
		40								6.1	5.7	5.4	5.1	4.9	4.7	4.4	3.8	3.3	2.8	2.4	2.1	1.8																			
	17	0			6.9	6.6	6.4	6.2	5.8	5.4	5	4.7	4.4	4.1	3.9	3.5	3.1	2.7	2.3	2	1.7	1.4	1.2	0.9	0.7																
		20								4.3	4.1	3.9	3.7	3.5	3.4	3.2	3	2.9	2.6	2.3	2	1.7	1.4	1.2	0.9	0.7															
		40									3.3	3.2	3.2	3.1	3	2.9	2.8	2.7	2.5	2.2	1.9	1.6	1.3	1																	
42.2	9.2	0		11	11	11	10	10	8.2	7.1	6	5	4.2	3.6	3.1	2.6	2.2	1.8	1.5	1.2	0.9	0.6																			
		20							8.8	8.4	8.1	7.3	6	5.4	4.6	3.9	3.3	2.8	2.4	2.1	1.7	1.3	1	0.8																	
		40								7.1	6.9	6.7	6.4	5.4	4.9	4.1	3.5	3	2.6	2.2	1.8	1.4																			
	17	0		7.2	7	6.7	6.5	6.1	5.7	5.3	5	4.7	4.4	4.1	3.8	3.3	2.8	2.4	2	1.7	1.4	1.1	0.8																		
		20								4.5	4.3	4.1	3.9	3.7	3.6	3.4	3.2	2.8	2.4	2.1	1.8	1.4	1.1	0.9	0.6																
		40									3.4	3.3	3.2	3.1	3.1	3	2.9	2.7	2.3	2	1.7	1.4	1.1	0.8																	
	45	9.2	0		10	9.5	9	8.6	7.8	7.2	6.6	6	5	4.2	3.6	3.1	2.6	2.2	1.8	1.5	1.2	0.9	0.6																		
		20							6.6	6.2	5.8	5.4	5.1	4.6	3.9	3.3	2.9	2.4	2.1	1.7	1.4	1	0.8																		
		40								5.7	5.4	5.2	4.9	4.7	4.2	3.5	3	2.6	2.2	1.8	1.5	1.1	1.1																		
	17	0		6.4	6.2	6.1	5.7	5.4	5.1	4.8	4.6	4.3	3.8	3.2	2.8	2.4	2	1.7	1.3	1.1	0.8																				
		20							4.3	4.1	3.9	3.8	3.6	3.4	3.3	3.1	2.8	2.4	2.1	1.8	1.4	1.1	0.9	0.6																	
		40									3.2	3.1	3	3	2.9	2.8	2.7	2.3	2	1.7	1.4	1.1	0.8																		
46.4	9.2	0		10	9.8	9.4	8.7	8.1	6.8	5.7	4.7	4	3.3	2.8	2.3	1.9	1.5	1.1	0.8																						
		20							7.1	6.8	6.5	6.2	5.2	4.3	3.7	3.1	2.6	2.2	1.8	1.4	1	0.7																			
		40								6.1	5.8	5.5	5.2	4.6	3.9	3.3	2.8	2.4	2	1.6	1.2	0.8																			
	17	0		6.2	5.8	5.5	5.2	4.9	4.7	4.2	3.5	3	2.5	2.1	1.7	1.4	1	0.7																							
		20							4.1	4	3.8	3.6	3.5	3.3	3	2.6	2.2	1.8	1.5	1.2	0.9																				
		40									3.2	3.1	3.1	3	3	2.9	2.5	2.1	1.8	1.5	1.1	0.8																			
	50.2	9.2	0		8.4	7.9	7.5	6.8	5.6	4.7	3.9	3.3	2.8	2.3	1.9	1.4	1.1	0.8																							
		20							6.9	6.4	6.1	5.7	5.1	4.3	3.6	3.1	2.6	2.2	1.7	1.4	1	0.7																			
		40								5.5	5.2	5	4.6	3.9	3.3	2.8	2.3	1.9	1.5	1.2	0.8																				
	17	0		5.6	5.4	5.2	5	4.8	4.6	4.1	3.5	2.9	2.4	1.9	1.6	1.2	0.9	0.7																							
		20						4.1	3.9	3.8	3.6	3.4	3.3	3	2.5	2.1	1.7	1.4	1.1	0.8																					
		40								3.2	3.1	3	2.9	2.9	2.8	2.5	2.1	1.8	1.4	1.1	0.8																				

t = metric tons.

The content in this document is mentioned for reference use only. Values may differ from current data. Always contact Mammoet for current project calculations.